


# 420 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

# 2020 SPECIFICATIONS

L.O.A.	42' 6" (13.0 m)
BEAM	13' (3.96 m)
DRAFT	31" (0.79 m)
WEIGHT (dry, no engine)	22,000 lbs (9,979 kg)
WEIGHT (with engines, fuel & water, if applicable)	29,500 lbs (13381 kg)
MAXIMUM WEIGHT CAPACITY	7,482 lbs (3,394 kg)
SWAMPED CAPACITY	4,000 lbs (1,814 kg)
PERSONS CAPACITY	20
MAXIMUM HORSEPOWER	1,675 hp (1,249 kW)
MINIMUM HORSEPOWER	1,200 hp (895 kW)
MAXIMUM ENGINE WEIGHT	3,400 lbs (1,542 kg)
TRANSOM HEIGHT	30" (0.76 m)
TRANSOM ANGLE	15°
DEADRISE AT TRANSOM	220
FUEL CAPACITY	600 gallons (2,271 L)
WASTE CAPACITY	20 gallons (76 L)
WATER CAPACITY	60 gallons (227 L)
LIVEWELL VOLUME	40 gal
BRIDGE CLEARANCE (with Hardtop)	12' 5" (3.79 m)
BRIDGE CLEARANCE (with Hardtop, Radar & Satellite TV)	14' 2" (4.32 m)
BRIDGE CLEARANCE (with upper station)	18' 6" (5.64 m)
EUROPEAN CERTIFICATION	В





### STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

### DECK/COCKPIT

- 10" stainless steel cleats (stern cockpit with gunnel board hawse pipe (2), anchor locker (1))
- 10" stainless steel pull-up cleats (bow (2), spring line (2), crosstie cleats at transom (2))
- 28" interior freeboard
- Acrylic transom door with stainless steel latch
- Anchor roller davit stainless steel thru hull
- Boarding ladder at transom
- Bow tow eye heavy duty polished stainless steel
- Chrome Boston Whaler logo/model designator
- Drink holders stainless steel (4 in bow, 2 in hawse pipes, 6 at helm, 2 at console lounge, 2 at leaning post)
- Full coaming bolsters
- Lighting LED courtesy lighting in cockpit (blue)
- Livewell pressurized insulated (24 gallons) in aft port corner with clear lid, blue interior and red LED light
- Molded fiberglass boarding/dive door port side with removable stainless steel dive ladder with dedicated storage
- Rails cockpit toe rails stainless steel
- Rails hand rails; companion way, boarding ladders, prep station – welded stainless steel
- Rails low profile interior bow rails welded stainless steel
- Rod holders gunnel mounted (bow (4), aft cockpit starboard (4), port (2)
- Rod holders transom mounted (5)
- Rod holders under gunnel (3)
- Rub rail white with stainless steel inserts
- Self-bailing cockpit sole
- Ship's bell
- Under gunnel storage shelf with downrigger weight

holders (2 per side)

 Windlass with 400' rode and chain with handheld remote control, stainless steel swivel and polished stainless steel anchor (44 lbs)

### **HELM CONSOLE**

- A/C vents (2)
- Center helm layout
- Compass
- Dash visor
- Drink holders (2)
- Electrical switch panel with stainless steel switches with illuminated text
- Electronics mounting surface with space for triple 15" displays
- Footrest port side passenger fold-down footrest
- Footrest molded into console with fold-down standing platform and maintenance free, anti-fatigue synthetic surface
- Lockable acrylic sliding entry door with translucent skylight inset at the top of door for natural light
- Lockable glove box with 12-V receptacles and USB charging port
- Mercury DTS dual binnacle controls with integrated engine trim controls
- Mercury SmartCraft Vessel View 7" color LCD Display (network connections to Raymarine with Navigation Package)
- Rails grab rail stainless steel
- Raymarine 19" Axiom Electronics / Dual Navigation Package - includes: GPS/chart plotter/fishfinder, 1000 watt thru hull transducer B175 med, Raymarine Ray63 VHF radio with wireless handset, Raymarine Sounder RV-1000, custom black acrylic dash surface integrated with switch panels and flush mounting of Axiom XL displays, Navionics Chart Card: North America/Canada
- Steering wheel cast stainless steel with knob and tilt helm





# 420 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

- Stereo FUSION® full function remote control (FUSION® integration into Raymarine with Navigation Package)
- Switches remote ignition key switches in cabin with pushbutton start/stop at helm
- Theft deterrent system with remote connectivity includes: anti-theft security key, Boston Whaler Proprietary Vessel Monitoring System, cellular and Satellite 24 hour monitoring system providing world-wide coverage, monitor tanks, batteries, shore power, and high water sensor, remote control of cabin air-conditioning, lighting, circuits and freezer plates, telematics tracking system with GeoFence Immobilization, 1 year subscription included
- Windshield defogger with remote shutoff control

### **OPEN WINDSHIELD HELM SYSTEM**

- Custom powder coated frame integrated into the deck providing clean unobstructed walkways
- Electronics box with locking latch above helm
- Ladder access to hardtop integrated into hardtop frame, port side
- Lighting LED flood lights bow (1), cockpit (2)
- Lighting LED navigation lights
- Lighting LED overhead courtesy/chart light (red and white)
- Lighting LED overhead lighting (blue)
- Open tempered side glass with upper removable rigid acrylic canvas curtain
- Outrigger ready
- Rod holders integrated onto hardtop supports (6)
- Sunshade for cockpit telescoping polished stainless steel frame retracts and deploys electrically (black Sunbrella® canvas)
- Windshield full tempered glass, full height with electric actuated center vent
- Windshield wipers (1) stainless steel pantograph with wash-system

### **DELUXE LEANING POST/BAIT PREP CENTER**

- 120-V outlets (2)
- Bait prep area with cutting board
- Drink holders (2)
- Electric grill with hinged solid surface lid over grill providing counter surface when not in use
- Freshwater sink with hot and cold water
- Leaning post cushion on forward side of prep-station that also converts to a 3 person bench seat providing a second row of seating
- Lighting LED task lighting
- Livewell (insulated 40 gallons) pressurized with viewing window, clear lid, blue interior and red LED light
- Pump switch panel with 12-V outlet
- Rail grab rail stainless steel

- Refrigerator stainless steel drawer 12–V/120–V (2.3 cubic ft) (starboard side)
- Solid surface countertop
- Storage lid with tool holders, storage nets and leader holders
- Tackle storage drawers (3) (port side)

### SEATING EXTERIOR

- Flip-up backrest at forward end of lounge providing wraparound seating
- Fold-away stern bench seat
- Forward console lounge with fold-down armrests, drink holders (4), backrests and removable cushion
- Forward port and starboard seats with folding backrests and drink holders (4) with stereo remote and 12-V receptacle on port side
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated) (port and starboard seats rotate to face aft)
- Leaning post cushion on forward side of the prep station that also converts to 3 person bench seat providing a second row of seating behind the helm

### STORAGE EXTERIOR

- Bilge storage aft
- Bow anchor locker with drains
- Coaming storage pockets with acrylic doors in port and starboard fore deck area (4)
- Coaming storage pockets with net retainers in port and starboard helm deck area (4)
- Forward lounge storage miscellaneous gear, fender storage or optional dive tank storage
- Insulated built-in storage/cooler compartment at forward end of the console lounge
- Insulated in-floor fishboxes with drains, helm deck (2)
- Insulated in-floor storage/fishbox with drains, fore deck (2)
- Insulated in-floor storage/fishboxes with pump-out, cockpit
   (2)
- Lifejacket or weather curtain storage in overhead hardtop storage compartment
- Lighting LED lighting in storage compartments
- Lockable electronics box in hardtop
- Lockable glove box
- Prep station side pockets (2)
- Prep station storage drawers
- Storage under bow seating

### STORAGE INTERIOR

- Companionway hanging locker
- Galley cabinet aft of microwave
- Galley hinged lid integrated into countertop providing

- access to storage compartment
- Galley pull-out waste receptacle and dish storage
- Head cabinetry
- Storage under interior seating

#### **CABIN INTERIOR**

- 120-V receptacle port side
- 12-V USB charging ports port and starboard sides
- 28" flat screen HDTV
- Air conditioner (12,000 BTU)
- Carbon monoxide detector
- Central vacuum system with hose and attachments with dedicated storage
- Console side windows with (2) opening port lights with shades
- Convertible double berth with filler cushion; comes with fitted sheet, comforter and two regular size pillowcases
- Convertible pull-out settee
- Digital vessel control; iPad with inductive charging case,
   CZone App (monitor vessel systems and control DC circuits)
- Easy to clean interior materials
- Elite interior color and material package
- Hanging locker
- Hardwood cabin sole
- Hull side windows with shades
- Lighting LED diffused courtesy lights (blue)
- Lighting LED diffused overhead lights (white)
- Lighting LED reading lights (2)
- Rod storage (4)
- Skylight with integrated shade system
- Stereo includes: FUSION® integration into Raymarine with Navigation Package, FUSION® stereo DVD/CD/AMFM/VHF, USB AUX input, iPod / iPhone / Android compatible via integrated Bluetooth, Sirius XM option ready, stereo remote controls helm and bow, MP3/Aux input, JL Audio water-proof speakers exterior, 7.7"aft cockpit (2), helm deck (4), bow (2), 10" sub-woofer, helm deck (2), JL Audio amplifiers (2), JL Audio speakers interior, 6.5" cabin (4)
- Table wood table that lowers to support filler cushion for forward double berth
- Throw pillows (3)

### GALLEY

- 120-V recentacle
- 12-V receptacle
- Dedicated dish storage in pull-out drawer below sink and in a cabinet above the sink
- Microwave





# 420 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

- Pull-out waste receptacle
- Rail hand rail stainless steel
- Refrigerator/freezer stainless steel 12–V/120-V (1.7 cubic ft)
- Sink filler solid surface matching countertop with integral cutting board
- Sink with faucet and solid surface countertop

#### **ENCLOSED HEAD**

- Accent wall
- Electric Vacu-Flush® toilet, holding tank with vent filter, overboard discharge, dockside pump-out and tank level indicator.
- Enclosed shower rain shower head with hot and cold faucet and shower curtain providing protection of vanity area
- Flooring solid surface tile
- Lighting LED overhead light
- Mirror
- Opening port light
- Rail hand rail stainless steel
- Shower sump
- Solid surface pull-out countertop forward of vanity
- Toilet paper holder
- Vanity storage
- Vanity with sink, polished chrome faucet and backlit mirror

### MECHANICAL

- 350 L6 DTS Black Quad Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- ACR spotlight (premium)
- Advanced battery management system; in cabin electric switches and charging relays with remote paralleling
- Air conditioner (cabin) (12,000 BTU) reverse cycle
- Air conditioner (helm deck) (18,000 BTU) reverse cycle
- Battery trays (7)
- Bilge pump high water bilge pump with alarm (2,000 GPH)
- Bilge pumps automatic (1,100 GPH forward, 2,000 GPH aft)
- Bonding system for underwater through hull fittings
- Bow thruster (6 kW) with dedicated battery bank and charging system (not available with Joystick Piloting)
- Dockside cable TV inlet
- Dual 30-amp shore power inlets with battery chargers, isolation transformers and 50' shore power cords
- Dual sounder transducer mount area
- Electric dual trumpet horn

- Electric trim tabs with indicator (auto glide, dynamic running surface, dual ram)
- Engine fuel / water separators (4)
- Freshwater anchor washdown with integrated coiled hose system
- Freshwater hot and cold water system with dockside hookup and tank level indicator integrated into VesselView
- Freshwater pull-out hot and cold transom shower
- Freshwater system with 60-gallon tank
- Freshwater washdown hot and cold retractable hose reel at mid-ship
- Fuel tanks dual 300-gallon aluminum fuel tanks
- Generator low CO gas (7.5 kW) 120-V 60 Hz with fire suppression system, automatic with manual override
- Lighting LED cockpit and machinery space lighting
- Manifold plumbing system with individual valve per circuit
- Raw-water washdown with retractable hose reel at mid-ship
- Stainless steel propellers
- Thru hulls cast bronze thru hulls (below waterline)
- Thru hulls cast stainless steel thru hulls (above waterline)
- Water heater

# NOTABLE OPTIONS & ACCESSORIES

- ☐ 12-V receptacles at transom for electric reels/downriggers
  (2)
- ☐ Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- ☐ Active Engine Trim for 2nd station (Mercury option that automatically adjusts drive trim based on speed) (must select a flybridge option)
- ☐ Anchor windlass chain (300')
- □ Audio package (premium) includes: additional JL Audio waterproof speakers – exterior 7.7" helm deck (2), 8.8" bow (2), 8" sub-woofer bow (1), additional JL Audio speakers – interior 8" subwoofer, additional JL Audio amplifiers (2)
- ☐ Boston Whaler dishware set with dedicated storage
- ☐ Bow tow eye secondary tow eye, in addition to standard towing eye for use of 2 tow bridles
- ☐ Commissioning Kit includes: air horn, batteries- group 31

  AGM (9), boat hook, dock lines (8), fenders (4), fire extinguisher (2), first aid kit, life vests (type 1 (offshore) with storage bags (10)), spare fuel filters (4), throw cushion, tool kit, water/holding tank supplies
- ☐ Dive tank holders (6)
- ☐ Electric grill delete
- ☐ Engine flushing system (automatic)

- ☐ Fishbox with freezer plates, port and starboard
- ☐ Fishbox with freezer plates, starboard
- ☐ Flooring cockpit flooring teak wood
- ☐ Full height tempered side glass integrated with hardtop frame
- ☐ Generator (diesel)(12Kw with 20gal. diesel tank)(replaces low CO gas generator)
- ☐ Gyro Stabilizer (SeaKeeper) (changes fresh water volume from 60 gal to 30 gal) (changes waste volume from 20 gal to 10 gal) (changes hot water heater volume from 11 gal to 6.5 gal) (must select diesel generator)
- ☐ Ice maker in leaning post (deletes port storage unit in standard leaning post) (deleted port fridge in summer kitchen option)
- ☐ Lighting underwater LED (blue) (transom mounted -3) (hull-bottom mounted-3)
- ☐ Outriggers competition outriggers (must select flybridge package)
- Outriggers premium outriggers (Gemlux) (stainless steel)
   (hardtop mounted)
- ☐ Outriggers radial outriggers (hardtop mounted)
- ☐ Rails stainless steel bow rail
- ☐ Rails stainless steel split bow rail
- □ Refrigerator delete (leaning post) (2.3 cubic ft) replaced by drawer storage
- ☐ Sunshade at bow, manual setup attaches to hardtop and

  (4) poles on forward bow area
- ☐ Table Fiberglass bow table (maintenance free synthetic teak) (electrically raised and lowered) with filler cushion and canvas cover
- ☐ Table Solid teak bow table (electrically raised and lowered) with filler cushion and canvas cover
- ☐ Table Solid teak aft cockpit tables (2) with dedicated storage on underside of mechanical hatch
- ☐ Water delivery at manufacturing plant or water delivery with upper stations includes: all items from commissioning kit, plus 600 gallons of fuel and Navionics platinum chart card
- ☐ Yacht tender package (must be selected if vessel will be towed as a tender) (must select bow tow eye) includes: ball valves on box thru hulls, clam shells over critical hull side thru hulls, engine covers (4), high water activated strobe light and horn

### SEATING

- ☐ Seating fold-down trolling seats (2) (replaces (2) port and starboard net storage compartments on helm deck)
- □ Seating starboard side fiberglass cockpit fold-out bench seat (replaces under gunnel rod holders and (1) gunnel rod





# 420 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

holder)

□ Seating - summer Kitchen Leaning Post (replaces bait prep center) – includes: 120- V outlet, cutting board, drawer storage replaces livewell in center, drink holders (2), electric grill with hinged solid surface lid over grill providing counter surface when not in use, freshwater sink with hot and cold water, leaning post cushion on forward side of prep station that also converts to a 3 person bench seat providing a second row of seating, LED task lighting, pump switch panel with 12-V outlet, grab rail (stainless steel), refrigerators with stainless steel drawer (port and starboard) 12-V / 120-V (2.3 cubic ft), solid surface countertop, storage lid with tool holders, storage nets and leader holders

#### **TOPS/TOWERS**

- ☐ Hardtop with electric sunroof and skylight (deletes hatches and storage bag)
- ☐ Flybridge includes: canvas (control box and seat covers, black), control box with VesselView 7", DTS throttle and shift, compass and drink holders (2), LED overhead and courtesy lighting, powder coated aluminum upper station frame with canopy, rod holders intergraded into frame (5), 3 passenger bench seat with individual flip-up bolsters and integrated cup holders (4), stainless steel steering wheel with knob and tilt helm, upper station lounge forward of helm
- ☐ Flybridge with Joystick includes: all flybridge content, electronic steering, joystick control, skyhook/autopilot (must select flybridge)
- ☐ Hardtop gelcoat (hardtop underside color matches hull color) (must select hardtop) (options include abaco blue or platinum)

### ENGINES

- 350 L6 DTS White Quad Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- □ 350 L6 DTS Black Quad Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster) (91 octane fuel recommended)
- ☐ 350 L6 DTS White Quad Mercury Verado engines Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster (91 octane fuel recommended)

- 400 L6 DTS Black Quad Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- 400 L6 DTS White Quad Mercury Verado engines with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- 400 L6 DTS Black Quad Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster) (91 octane fuel recommended)
- 400 L6 DTS White Quad Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster (91 octane fuel recommended)

#### **ELECTRONICS**

- ☐ Raymarine Automatic Identification System Transceiver
  (AIS Ray700 Transceiver) (must select a navigation package)
- ☐ Raymarine Augmented Reality (must select AIS option)
  (includes CAM220 IP video camera, and AR200 IP camera stabilization module)
- ☐ Raymarine Autopilot EV-400 with 3.5" color TFT display (not compatible with joystick piloting)
- Raymarine Autopilot for Flybridge with 3.5" color TFT display (must select flybridge) (not available with joystick piloting)
- ☐ Raymarine 16" Axiom Electronics / Triple Navigation Package (Raymarine Axiom 16" screen (3)) (GPS/chart plotter/fishfinder) (Raymarine Sounder RV-100) (1000W thru-hull transducer B175 med) (Raymarine Ray63 VHF radio with wireless handset) (custom black acrylic dash surface integrated with switch panels and flush mounting of Axiom XL displays) (Navionics Chart Card: North America/Canada)
- ☐ Raymarine 9" Axiom Electronics for Flybridge (Raymarine Axiom 9" screen) (GPS/chart plotter/fishfinder) (Raymarine Ray63 VHF radio with wireless handset)
- Raymarine Radar Open Array (4kW magnum digital radar with 48" open array antenna) (not compatible with Flybridge with Satellite TV)
- ☐ Raymarine Radar Open Array with Satellite Weather

  (4kW magnum digital radar with 48" open array antenna)

  (Raymarine Sirius Marine Weather Receiver requires

  monthly subscription) (not compatible with Flybridge with

Satellite TV)

- ☐ Raymarine Satellite Weather (requires monthly subscription)
- ☐ Raymarine MD-232 Fixed Thermal Night Vision with pan, tilt and zoom (9Hz) (must select a navigation package)
- ☐ Raymarine M-324S Thermal Night Vision with pan, tilt and zoom (must select a navigation package)
- ☐ RealVision 3D Sonar Direct Connect (CHIRP Downvision, Sidevision) (must select Axiom RVX Navigation Package) (RV-100 3D Transom Mount Transducer)
- ☐ Satellite Radio (Sirius satellite receiver with antenna)
- ☐ Satellite TV (Direct TV receiver requires monthly subscription) (America and Bahamas)
- ☐ Vessel View Mobile

### **CANVAS**

- ☐ Canvas cover package includes: black sunbrella, cockpit fold-out stern seat backrest cover, console cover, forward lounge cover, forward seat cushion cover, helm seat cover, prep station / leaning post cover, quad engine cover
- ☐ Hardtop aft enclosure curtains (white stamoid and rigid makrolon polycarb windows) (full helm deck enclosure, forward wing curtains with side panels and aft/full beam panels enclosing second row seat)

### INTERIOR COLOR PACKAGES

- ☐ Legacy interior color package
- □ Natural tones interior color package

### **COLOR PAINTED HULLS**

- ☐ Abaco Blue
- ☐ Fighting Lady Yellow
- ☐ Horizon Blue
- ☐ Ice Blue
- □ Jadestone
- ☐ Oyster Grey
- □ Platinum
- ☐ Sand Metallic
- ☐ Steel Blue
- ☐ Tectonic Silver
- ☐ Wasabi

### **GRAPHICS**

(BW logo, model designator)

☐ Chrome graphics

