

General Equipment list - Europe

GENERAL SPECIFICATIONS_____

• L.O.A*:	9,10m	29'10"
Hull length:	7,97m	26'2"
 Overall width: 	2,99m	9'10"
Beam:	2,97m	9'9"
 Draught (min/max): 	0,50 - 0,90m	1'5" - 2'11"
Air draft:		
without T-Top:	2,17m	7'1"
- with T-Top:	2,82m	9'3"
 Light displacement (EC): 	3 354kg	7,392 lbs
 Unladen displacement : 	2 500kg	5,510 lbs
Fuel tanks:		
- standard:	2 x 200L	2 x 53 US Gal
- Option:	2 x 288L	2 x 76 US Gal
 Water tank: 	100L	26 US Gal
 Max engine certification: 	500 HP	500 HP
 Driving shaft length: 		
- Single engine	XXL / 762mm	30"
- Twin engine	XL / 635mm	25"

^{* (}Option: Swim platform & Bowsprit, without engine)

ARCHITECTS / DESIGNERS

- Development: Bénéteau POWERBOATS
- Designers: Style & Design

EC CERTIFICATION

- Category B 6 people
- Category C 10 people

AIR STEP SYSTEM®

- R.L. JEANTET P. TABLEAU
- M. TRONQUEZ











General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION _____

HULL

- Technology: Air Step [®]
- Patent: Beneteau

Composition:

- Sandwich (Polyester resin Glass fiber Balsa core)
- · White hull
- · Winching ring on bow

DECK

Composition:

· Sandwich (Polyester resin - Glass fiber - Balsa core)

DECK EQUIPMENT_____

MOORING LINES - MOORING

- · Stainless steel bow fitting with roller
- · Self-bailing mooring locker with hatch cover
- · Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminum, 250 mm / 10"

SAFETY ON DECK

See VERSIONS - Stainless steel pulpits version

- · Stainless steel forward hand rail
- · 2 Catwalks
- · Wide sideways around the consol:
 - Port: 0,37m / 1'3"
 - Starboard: 0,37m / 1'3"

COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,78m / 2'7")
- 3 person cockpit seat with fixed backrest and stainless steel hand rail: 1,60 x 0,44m / 5'3" x 1'5"

Elegance version: 3 person cockpit seat with black hand rails and backrest that can be converted into a sun deck 1,60 x 0,90m / $5'3'' \times 2'11''$

- · Removable wooden cockpit table
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Stowage under the central cockpit seat (BIB location)
- · Stowage under the cockpit seat
- Roto-moulded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler on aft freeboards (Port and starboard)
- 2 access points to the bathing platform
- 2 safety gates
- Telescopic swimming ladder beneath port side platform, with hand rail
- · Cockpit shower
- · All-round light on samson post
- · Navigation lights (Port and starboard)
- · Bench seat in front of console with armrest and 2 hand rails
- Tilting side platform with mechanical mechanism (Length: 1,60m / 5'3" x Height: 0,85m / 2'9")
- · 4 Forward cup holders
- · 4 Cup holders in cockpit
- · 2 Rod holders
- · 2 Handrails

STEERING STATION

- · Windscreen PMMA light grey tinted
- · Handrail around the windscreen
- Center consol
- Dashboard with location for electronics, max. 12" screen, rpm and trim
- Fuel gauge
- USB socket
- · Steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- · Hydraulic steering
- leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- · Hatch cover under the leaning post
- · Copilot hand rail
- · Cabin access through sliding door in translucent grey PMMA

COCKPIT GALLEY

- · Sink with 2 bowls
- · Teak work top
- Space for gas oven (In Confort trim level)

INTERIOR

- · Woodwork Alpi Walnut
- Brown oak laminated floors
- Interior cushions in Cushy Limestone upholstery (optional extra)

FORWARD CABIN

Headroom = 0,73 - 1,81m / 2'5" - 6'

- Stowage compartments in wood (Port / Starboard / forward)
- Access to battery switch/fuse box
- Optional mattress (2,00 2,25m / 6'7" x 7'5" max)
- Lighting from 2 ceiling lights
- Ventilation provided by one opening porthole

HEAD

Headroom = 1,81m / 6'

- Space for optional WC
- Washbasin
- Shower (in trim level)
- Access hatch to service compartment under washbasin
- Rail for storage
- Mirror
- Ventilation provided by one opening porthole
- · Lighting from 1 ceiling light
- Attachment system for cabin ladder

MID-CABIN

Headroom = 0,49m / 1'7"

- Mattress 1,84 x 1,40m / 6'0" x 4'7" (optional extra)
- Storage cubbyhole
- Technical access
- · Lighting from 1 ceiling light



General Equipment list - Europe

ELECTRICITY

- · 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- Pressured cold water
- Hot water system on shore supply (Comfort Trim level)
- · Water filling drain plug

VΙ	S	CE	LLA	NE	ΞΟι	JS	ΙT	EMS
----	---	----	-----	-----------	-----	----	----	------------

· Eco Cleaning kit

VERSIONS

STANDARD UPHOLSTERY VERSION

- · PVC Marlin Auster upholstery
 - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / 5'3" x 2'11")
 - Bloster leaning post bench seat for pilot and co-pilot
 - Seat in front of the console

ELEGANCE UPHOLSTERY VERSION

- PVC Silvertex Plata + Cognac upholstery
 - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / 5'3" x 2'11")
- Bolster leaning post bench seat for pilot and co-pilot
- Seat in front of console with armrest
- Face-to-face bench seat with backrest and stowage
- Extension for sun deck (1,80 x 1,25m / 5'11" x 4'1")

PILOT EDITION VERSION ____

- · Pearl grey hull
- · Pilot Edition hull decoration
- · Black lacquered stainless steel pulpits
- · Sports steering wheel
- Black T-Top (white polyester roof and black frame) with decorations
 - + Cockpit sun awning extension
- · Blue underwater lights
- · Linetex Glacier + Chalk unpholstery
- Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / 5'3" x 2'11")
- Bolster leaning post bench seat for pilot and co-pilot
- Seat in front of console with armrest
- Face-to-face bench seat with backrest and stowage
- Extension for sun deck (1,80 x 1,25m / 5'11" x 4'1")
- Foldaway bench seat, to starboard
- Reclining bench seat behind the leaning post
- Wooden cockpit table with telescopic pedestal, can be converted into sun deck (with sun deck cushoins)
- · LED courtesy light in cockpit

STAINLESS STEEL PULPITS VERSION __

- · Stainless steel pulpits
- · Stainless steel handrails
- · Stainless steel handrail around windscreen

BLACK PULPITS VERSION

- · Black lacquered stainless steel pulpits
- · Black lacquered stainless steel handrails
- Black lacquered stainless steel handrail around windscreen



General Equipment list - Europe

TRIM LEVEL & PACKS

TRIM LEVEL _____

	ESSE	NTIAL	CONFORT		
	Twin engine	Single engine	Twin engine	Single engine	
Electric windlass	-	•		•	
Extended swim platform	•			•	
49L refrigerator in the cockpit		•	•		
Additional battery pre-wiring for refrigerator		•		•	
 25 L water heater 230 V electric circuit with shore socket + Battery charger External gas cooker 			:	:	

ELECTRONICS PACKS _

ELECTRONIC PACK

- 9" GARMIN ECHOMAP UHD2 92 SV Multifunction screen (chart not included)
- GARMIN GT23 M-TH Sensor

ELECTRONIC - UPGRADED PACK

- 12" GARMIN GPSMAP 1223 xsv Multifunction screen (chart not included)
- GARMIN GT23 M-TH Sensor

SOUND PACK

- Fusion MS-RA210
- 2 Interior speakers (50 W)
- 2 Exterior speakers (50 W)

SOUND SIGNATURE PLUS PACK

- Fusion MS-RA210
- Amp (1 600 W)
- Interior:
- 2 Signature sport white speakers (230 W), white LED
- Exterior:
 4 Signature spo
 - 4 Signature sport white speakers (230 W), white LED
 - Subwoofer (450 W)

FISHING PACK _

Fishing station (replacing the aft bench seat)

- 5 Rod holders
- 3 Fish tanks, including 1 live storage tank with sea water circuit
- Foldaway bench seat (Upholstery depending on version)
- · Stowage compartments beneath the fishing position



General Equipment list - Europe

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- · Mattress (Forward cabin + Portside seating)
- · Mattress (Mid-cabin)
- · 8 000 BTU air conditioning on shore power socket
- 8 000 BTU air conditioning with battery power supply
- · Direct fresh water intake from the shore
- · Marine toilet + Sewage tank
- · Fresh water electric toilet + Sewage tank

EXTERIOR OPTIONS

- · Complete mooring kit
- Stainless steel/Doussie wood bowsprit without swimming ladder
- Stainless steel/doussie wood bowsprit without swimming ladder (Requires black pulpit version)
- · Swimming ladder for bowsprit
- · Stainless steel ski mast
- · Black ski mast
- · Built-in forward bimini
- · Stainless steel bimini (Steering station)
- · Aft bimini extension for cockpit
- Stainless steel T-Top (white polyester roof and stainless steel frame)+ Cockpit sun awning extension
- Black T-Top (white polyester roof and black frame) + Cockpit sun awning extension
- Pilot protection for T-Top
- · Rack for T-Top
- Black rod holder on T-Top (x5)
- · Deck searchlight for T-Top (LED strip)
- · Foldaway bench seat to starboard
- · Reclining bench seat behind the leaning post
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console + Front seat
- · Grey foam carpet in cockpit bottom
- · Wooden cockpit table with telescopic pedestal, can be converted into sun deck (with sun deck cushoins)
- · 2 Rod stowage compartments in the freeboards

ELECTRICAL SYSTEM

- · LED courtesy light in cockpit
- Underwater lights (x2)
- Horn

ENGINE

- · Bow thruster (battery not delivered)
- Fuel tank 2 x 288 L (in lieu of standard 2 x 200L)
- · Lenco electric trim tabs
- · Zipwake automatic trim system
- · Bracket mandatory for single engine
- Suzuki mecanic keyless pre-rigging (2 x 150-250 HP)
- Suzuki mechanic NOkeyless pre-rigging (2 x DF250TX ZX HP)
- Suzuki electronic keyless pre-rigging (1 x 300-350 HP)
- Suzuki electronic keyless pre-rigging (2 x 150-250 HP)
- Honda mecanic pre-rigging (2 x 150-250 HP)
- Yamaha electronic pre-rigging (2 x 200-250 HP)
- Pre-rigging Yamaha NEW Integrated steering DBW (2 x 150-200 HP)
- Pre-rigging Yamaha NEW Integrated steering SBW (2 x 150-200 HP)
- Mercury electronic pre-rigging (1 x 300-400 HP Verado)
- Mercury electronic pre-rigging (2 x 175-225 HP Verado)
- Mercury electronic pre-rigging (2 x 250 HP Verado)
- Mercury electronic Joystick pre-rigging (2 x 250 HP Verado)

NAVIGATION ELECTRONICS

GARMIN 215 AIS VHF